



**SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION**

**1.1 Product identifier**

Product name: Impeccable Interior Detailer  
Product code: Impeccable Interior Detailer  
Synonym(s): None

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

General use: Ready to use cleaner for vehicle interiors; for industrial and professional use only  
Uses advised against: Not for consumer use

**1.3 Details of the supplier and of the safety data sheet**

Manufacturer/Distributor  
Ultra-Look Corp.  
4860 Drane Field Rd.  
Lakeland, FL 33811 USA  
+1-863-607-6700

**1.4 Emergency telephone number**

INFOTRAC: +1-800-535-5053

**SECTION 2 - HAZARDS IDENTIFICATION**

**2.1 Classification of substance or mixture**

Product definition: Mixture

Classification in accordance with 29 CFR 1910 (OSHA HCS) and Regulation EC No. 1272/2008

Skin Irritation - Category 2 [H315]  
Sensitizer, Skin - Category 1 [H317]  
Eye Irritation - Category 2A [H319]

**2.2 Label elements**

Hazard symbol(s):



GHS07

Signal word: **Warning**

Hazard statement(s): H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction  
H319 - Causes serious eye irritation

Precautionary statements

[Prevention]

P261 - Avoid breathing mist or vapor.  
P264 - Wash hands and other exposed skin areas thoroughly after handling.  
P272 - Contaminated work clothing should not be allowed out of the workplace.  
P280 - Wear protective gloves, protective clothing, and eye protection.

[Response]

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water.  
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.  
P321 - Specific treatment: Call a POISON CENTER or doctor if you feel unwell. Refer to Section 4 of this SDS.  
P333 + P337 + P313 - If skin irritation or rash occurs or if eye irritation persists: Get medical attention.  
P362 - Take off contaminated clothing and wash before reuse.

[Disposal]

P501 - Dispose of contents and containers in accordance with national and local regulations.

**2.3 Hazards not otherwise classified (HNOC) or not covered by GHS**

None as defined under 29 CFR 1910.1200.

**2.4 Unknown acute toxicity (US)**

Acute toxicity, oral	0%	Acute toxicity, inhalation, vapor	97.4%
Acute toxicity, dermal	0.1%	Acute toxicity, inhalation, dust or mist	0%

**SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Substances**

Not applicable

### 3.2 Mixtures

% by Weight	Ingredient	CAS Number	EC Number	Index Number	GHS Classification
≤ 4	2-Butoxyethanol	111-76-2	203-905-0	603-014-00-0	H227, H302, H312, H315, H319, H332
≤ 4	Nonylphenol, ethoxylate	127087-87-0	500-315-8	-----	H302, H319, H412
≤ 4	Surfactant blend	Proprietary	-----	-----	H317, H319
≤ 2	Sodium hydroxide	110-73-2	215-185-5	011-002-00-6	H290, H314
≤ 2	Silicone emulsion	Proprietary	231-509-8	-----	H315, H319, H335
≤ 0.2	1,2-Benzisothiazolin-3-one	2634-33-5	220-120-9	613-088-00-6	H302, H315, H317, H318, H400

There are no additional ingredients present in this product which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

## SECTION 4 - FIRST AID MEASURES

### 4.1 Description of first aid measures

**Inhalation:** If product mist or vapor causes respiratory irritation or distress, move the exposed person to fresh air immediately. If breathing is difficult or irregular, administer oxygen; if respiratory arrest occurs, start artificial respiration by trained personnel. If unconscious, maintain an open airway. Loosen tight clothing such as a collar, tie, belt, or waistband. If symptoms persist or if the victim feels unwell, seek medical attention.

**Eyes:** Immediately flush eyes with large amounts of water or saline solution for at least 15 minutes, occasionally lifting the upper and lower lids. Remove contact lenses, if present and easy to do, after first 2 minutes and continue rinsing. If irritation persists medical attention, preferably from an ophthalmologist.

**Skin:** Flush skin with large amounts of water while removing contaminated clothing. Wash the affected area with soap and water followed by thorough rinsing. Wash contaminated clothing and shoes before reuse. If irritation persists, if rash develops, or if the victim feels unwell, seek medical attention.

**Ingestion:** Rinse mouth with water if the victim is conscious. Remove dentures if present. Give 2 glasses of water (maximum) if the victim is conscious, alert, able to swallow, and not experiencing breathing difficulty. Do not induce vomiting unless directed to do so by medical personnel. Vomiting may occur spontaneously. To prevent aspiration of material into the lungs, lay the victim on one side with the head lower than the waist. Never give anything by mouth to an unconscious or convulsing person. Do not leave the victim unattended. Seek immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential health symptoms and effects

**Eyes:** Causes serious eye irritation and possible eye damage. Symptoms include inflammation, itching, tearing, and pain or discomfort. Prolonged eye contact may cause burns and eye damage. Vapor or mist may cause eye irritation.

**Skin:** Causes skin irritation with localized redness, itching, and discomfort. Prolonged contact with unprotected skin may cause defatting of the skin, and/or dermatitis. May cause an allergic skin reaction with localized redness, itching, and rash. May be harmful if absorbed through the skin.

**Inhalation:** Causes respiratory irritation with headache, nasal irritation, and cough.

**Ingestion:** May cause irritation of the gastrointestinal tract with nausea, abdominal pain, vomiting, and diarrhea. May be harmful if swallowed.

**Chronic:** Individuals with pre-existing skin conditions and respiratory disorders may be more susceptible to the effects of this product. Prolonged or repeated skin contact may cause drying and cracking of the skin, dermatitis, or aggravate existing skin conditions. Chronic eye contact may cause conjunctivitis and eye damage. 2-Butoxyethanol is a known animal carcinogen. Refer to Section 11.2.

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Advice to doctor and hospital personnel

Treat symptomatically and supportively.

## SECTION 5 - FIRE FIGHTING MEASURES

### 5.1 Extinguishing media

**Suitable methods of extinction:** Use extinguishing media suitable for the surrounding fire.

**Unsuitable methods of extinction:** No limitations of extinguishing agents are given for this material.

### 5.2 Special hazards arising from the substance or mixture

Closed containers may explode due to the buildup of pressure when exposed to extreme heat. During emergency conditions overexposure to decomposition products may cause a health hazard. Symptoms may not be immediately apparent or may be delayed. Obtain medical attention.

**Explosion hazards:** This product is not an explosion hazard.

### 5.3 Advice to firefighters

Full protective equipment including self-contained breathing apparatus should be used. Water may be used to cool closed containers to prevent pressure buildup and possible autoignition or explosion when exposed to extreme heat. If possible, water contaminated by this material should be contained from being discharged to any waterway, sewer, or drain to prevent environmental contamination.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### 6.1 Personal precautions, protective equipment and emergency procedures

Evacuate non-essential personnel. Wear appropriate protective clothing and equipment designated in Section 8.2. Ventilate the area. Remove all

sources of ignition. NO SMOKING. Clean up spills immediately. Spill creates a slip hazard.

## 6.2 Environmental precautions

Avoid dispersal of spilled material or runoff and prevent contact with soil and entry into drains, sewers, or waterways.

## 6.3 Methods and materials for containment and cleaning up

Approach spill from upwind direction. DO NOT flush spills down the drain. Cover drains and contain spill. Cover spill with a large quantity of inert absorbent. Do not use combustible material such as sawdust. Collect material and place into an approved container for proper disposal. Observe possible material restrictions (Sections 7.2 and 10.5). Do not allow material or runoff from rinsing contaminated areas to enter floor drains or storm drains and ditches that lead to waterways. Dispose of contents and containers via a licensed waste disposal contractor.

## 6.4 Reference to other sections

For indications about waste treatment, see Section 13.

# SECTION 7 - HANDLING AND STORAGE

## 7.1 Precautions for safe handling

Wear all appropriate personal protective equipment specified in Section 8.2. Do not get in eyes or on skin or clothing. Do not inhale mist or vapor. NO SMOKING. If normal use of material presents a respiratory hazard, use only adequate ventilation or wear an appropriate respirator. Wash contaminated clothing and shoes thoroughly before reuse. Contaminated clothing should not be allowed out of the workplace.

### Advice on protection against fire and explosion

This product is not a fire or explosion hazard.

## 7.2 Conditions for safe storage, including any incompatibilities

Store in dry, cool, well-ventilated areas away from incompatible materials (see Section 10.5), food, and drink. Keep from freezing. Transfer only to approved containers having correct labeling. Keep containers tightly closed when not in use. Protect containers against physical damage. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Containers are hazardous when empty as they contain product residue. Use appropriate containment to avoid environmental contamination. Ventilate closed areas. Keep locked up and out of reach of children.

## 7.3 Specific end uses

Apart from the uses mentioned in Section 1.2, no other specific uses are stipulated.

# SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

## 8.1 Control parameters

### Occupational exposure limit values

CAS Number	Ingredient	OSHA PEL	ACGIH TLV	NIOSH
111-76-2	2-Butoxyethanol	50 ppm; 240 mg/m <sup>3</sup> TWA	20 ppm; 97 mg/m <sup>3</sup> TWA; skin	50 ppm; 24 mg/m <sup>3</sup> TWA 700 ppm IDLH; skin
1310-73-2	Sodium hydroxide	2 mg/m <sup>3</sup> TWA	2 mg/m <sup>3</sup> , ceiling	2 mg/m <sup>3</sup> , ceiling; 10 mg/m <sup>3</sup> IDLH

A "skin" notation following the inhalation exposure guideline refers to the potential for dermal absorption of the material, including eyes and mucous membranes, either by direct contact with vapors or by direct skin contact. It is intended to alert the reader that inhalation may not be the only route of exposure and that measures to minimize dermal exposure should be considered.

## 8.2 Exposure controls

**Engineering measures:** Technical measures and appropriate working operations should be given priority over the use of personal protective equipment. Use adequate ventilation. Local exhaust is preferable. Refer to Section 7.1.

**Individual protection measures:** Wear protective clothing to prevent repeated or prolonged contact with product. Protective clothing needs to be selected specifically for the workplace, depending on concentrations and quantities of hazardous substances handled. The chemical resistance of the protective equipment should be enquired at the representative supplier.

**Hygiene measures:** Facilities storing or using this material should be equipped with an eyewash station and safety shower. Change contaminated clothing. Preventive skin protection is recommended. Wash hands thoroughly after use, before eating, drinking, smoking, or using the lavatory.

**Eye/face protection:** Wear safety glasses with unperforated side shields or protective splash goggles during use.

**Hand protection:** Wear gloves recommended by glove supplier for protection against materials in Section 3. Gloves should be impermeable to chemicals and oil. Breakthrough time of selected gloves must be greater than the intended use period.

**Skin protection:** Wear protective clothing. Wear protective boots if the situation requires.

**Respiratory protection:** Always use an approved respirator when vapor/aerosols exceed permissible exposure limits. Where risk assessment shows air-purifying respirators are appropriate use a half-mask respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). Follow OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149.

**Environmental exposure controls:** Do not empty into drains.

*PPE must not be considered a long-term solution to exposure control. PPE usage must be accompanied by employer programs to properly select, maintain, clean, fit, and use. Consult a competent industrial hygiene resource to determine hazard potential and/or the PPE manufacturers to*

ensure adequate protection.



## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

<b>Appearance</b>	Opaque, pink liquid
<b>Odor</b>	Characteristic
<b>Odor Threshold</b>	No data available
<b>Molecular Weight</b>	No data available
<b>Chemical Formula</b>	No data available
<b>pH</b>	7.0 - 9.0
<b>Freezing/Melting Point</b>	No data available
<b>Initial Boiling Point</b>	100 °C (212 °F)
<b>Evaporation Rate</b>	No data available
<b>Flammability (solid, gas)</b>	Not applicable
<b>Flash Point</b>	Not applicable
<b>Autoignition Temperature</b>	No data available
<b>Decomposition Temperature</b>	No data available
<b>Lower Explosive Limit (LEL)</b>	No data available
<b>Upper Explosive Limit (UEL)</b>	No data available
<b>Vapor Pressure</b>	No data available
<b>Vapor Density</b>	No data available
<b>Density</b>	0.995 - 1.002 g/ml (8.3 - 8.35 lb/gal)
<b>Viscosity</b>	No data available
<b>Solubility in Water</b>	Miscible
<b>Partition Coefficient (n-octanol/water)</b>	No data available
<b>Oxidizing Properties</b>	Not applicable
<b>Explosive Properties</b>	Not applicable
<b>Volatiles by Weight @ 21 °C</b>	88.83%
<b>VOC (wt. %)</b>	0.575 (5.75 g/ml; 0.048 lb/gal)

### 9.2 Other Data

No data available

## SECTION 10 - STABILITY AND REACTIVITY

### 10.1 Reactivity

No special reactivity has been reported during normal conditions of handling and use.

### 10.2 Chemical Stability

This material is stable under recommended storage and handling conditions.

### 10.3 Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4 Conditions to avoid

Avoid temperature extremes and contact with incompatible materials.

### 10.5 Incompatible materials

Strong oxidizing agents, acids

### 10.6 Hazardous decomposition products

Thermal decomposition products may include oxides of carbon and sodium oxide fumes.

## SECTION 11 - TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute oral toxicity

LD<sub>50</sub>, rat: > 5,000 mg/kg [calculated]

#### Acute inhalation toxicity

No data available

#### Acute dermal toxicity

LD<sub>50</sub>, rat: > 5,000 mg/kg [calculated]

**Skin irritation**

Causes skin irritation.

**Eye irritation**

Causes serious eye Irritation.

**Sensitization**

No data available

**Carcinogenicity**

No data available

**Germ cell mutagenicity**

No data available

**Reproductive toxicity**

No data available

**Specific organ toxicity - single exposure**

May cause respiratory irritation.

**Specific organ toxicity - repeated exposure**

No data available

**Aspiration hazard**

No data available

**11.2 Further information**

**2-Butoxyethanol** (CAS #111-76-2): IARC Group 3 carcinogen - *Not classifiable as to its carcinogenicity to humans*. Not listed as a carcinogen by ACGIH, NTP or OSHA. In long-term animal studies with 2-butoxyethanol, small but statistically significant increases in tumors were observed in mice but not rats. The effects are not believed to be relevant to humans.

2-Butoxyethanol inhalation exposure in laboratory animals has been found to reduce body weight gain and food consumption in addition to hemolysis. After exposure was discontinued, these effects in animals disappeared. Adverse reproductive or birth effects were not reported in animals except when exposures were high enough to cause significant maternal toxicity. In animals, hemolysis (red blood cell breakage) and secondary effects to the kidneys and liver have been reported. Human red blood cells have been shown to be significantly less sensitive to hemolysis than those of rodents and rabbits.

No data is available regarding the mutagenicity or teratogenicity of this product, nor is there any available data that indicates that it causes adverse developmental or fertility effects.

Handle in accordance with good industrial hygiene and safety practice.

**SECTION 12 - ECOLOGICAL INFORMATION****12.1 Toxicity**

Large spills or discharges of this product may be harmful to aquatic life. 2-Butoxyethanol is harmful to algae and higher aquatic plants.

**12.2 Persistence and degradability**

Organic components in this product are biodegradable. Inorganic substances are not biodegradable. Methods for the determination of biodegradability are not applicable to inorganic substances.

**12.3 Bioaccumulation potential**

No data available

**12.4 Mobility in soil**

No data available

**12.5 Results of PBT and vPvB assessment**

This material does not contain substances that are persistent, bioaccumulative, and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

**12.6 Endocrine disrupting properties**

This material does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**12.7 Other effects****Additional ecological information**

Do not allow material to run into surface waters, wastewater, or soil.

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

**SECTION 13 - DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

**Methods of disposal:** The generation of waste should be avoided or minimized whenever possible. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe way. Dispose of surplus and non-recyclable products in

accordance with national, state and local regulations. Disposal of this product, solutions, and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains, and sewers.

**RCRA F-Series:** No listings above the reportable threshold (de minimis)

**RCRA U-Series:** No listings above the reportable threshold (de minimis)

## SECTION 14 - TRANSPORT INFORMATION

**Note:** Transportation information provided is for reference only. Customer is urged to consult 49 CFR 100 - 177, IMDG, IATA, EC, United Nations TDG, and WHMIS (Canada) TDG information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials, and methods of shipping.

<b>USA DOT (Ground Transportation)</b>	NOT REGULATED FOR TRANSPORT
<b>IMO/IMDG (Water Transportation)</b>	NOT REGULATED FOR TRANSPORT
<b>ICAO/IATA (Air Transportation)</b>	NOT REGULATED FOR TRANSPORT
<b>RID/ADR (Rail Transportation)</b>	NOT REGULATED FOR TRANSPORT

## SECTION 15 - REGULATORY INFORMATION

### 15.1 Safety, health and environmental regulations/legislation specific for substance or mixture

#### U. S. Federal Regulations

**OSHA Hazard Communication Standard:** This material is classified as hazardous in accordance with OSHA 29 CFR 1910.1200.

**Toxic Substance Control Act (TSCA) Inventory:** All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

**OSHA Process Safety Management Standard:** This product is not regulated under OSHA PSM Standard 29 CFR 1910.119.

**EPA Risk Management Planning Standard:** This product is not regulated under EPA RMP Standard (RMP) 40 CFR Part 68.

**EPA Federal Insecticide, Fungicide and Rodenticide Act:** This product is not a registered Pesticide under the FIFRA, 40 CFR Part 150.

**Toxic Substance Control Act (TSCA) Inventory:** All substances in this product are listed on the TSCA Inventory. This product is not subject to TSCA 12(b) Export Notification.

**Drug Enforcement Administration (DEA) List 2, Essential Chemicals (21 CFR 1310.02(b)) and 1310.4(f)(2)) and Chemical Code Number**  
No listings

**Drug Enforcement Administration (DEA) Lists 1 & 2, Exempt Chemical Mixtures (21 CFR 1310.12(c)) and Code Number:** No listings

**Department of Homeland Security (DHS) Chemical Facility Anti-Terrorism Standards (CFATS) Chemicals:** No listings

#### **Superfund Amendments and Reauthorization Act (SARA)**

**SARA Section 311/312 Hazard Categories:** Causes skin irritation and serious eye irritation                      May cause respiratory irritation.

**SARA 313 Information:** Glycol Ethers (SARA code N230) are subject to the reporting levels established by Section 313 of the Emergency Planning and Community Right-to Know Act of 1986.

**SARA 302/304 Extremely Hazardous Substance:** None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**SARA 302/304 Emergency Planning & Notification:** None of the components of this product exceed the threshold (de minimis) reporting levels established by these sections of Title III of SARA.

**Comprehensive Response Compensation and Liability Act (CERCLA):** This product contains the following CERCLA reportable substances:  
Glycol Ethers - There is no RQ assigned to this broad class, although the class is a CERCLA hazardous substances. Refer to 50 Federal Register 13456 (April 4, 1985).

#### **Clean Air Act (CAA)**

This product does not contain Hazardous Air Pollutants (HAPs) designated in CAA Section 112 (b).

This product does not contain Class 1 ozone depletors.

This product does not contain Class 2 ozone depletors.

#### **Clean Water Act (CWA)**

Glycol Ethers (EDF-109) and Sodium Hydroxide are Hazardous Substances.

This product does not contain any Priority Pollutants.

This product does not contain any Toxic Pollutants.

#### U.S. State Regulations

##### **California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986**

This product contains no chemical(s) known to the state of California to cause cancer, birth defects, or reproductive harm in concentrations that exceed the threshold (de minimis) reporting levels established under Proposition 65.

##### **Other U.S. State Inventories**

*2-Butoxyethanol (CAS #111-76-2)* is listed on the following State Hazardous Substance Inventories, Right-to-Know lists, and/or Air Quality/Air Pollutants lists: CA, MN, PA, RI, WI.

## Canada

WHMIS Hazard Classification: No data available

Canadian National Pollutant Release Inventory (NPRI): 2-Butoxyethanol is listed on the NPRI.

## European Economic Community

WGK, Germany (Water danger/protection): 1 (slightly hazardous to water)

## Global Chemical Inventory Lists

Country	Inventory Name	Listed
Canada	Domestic Substance List (DSL)	Yes
Canada	Non-Domestic Substance List (NDSL)	No
Europe	Inventory of New and Existing Chemicals (EINECS)	Yes
United States	Toxic Substance Control Act (TSCA)	Yes
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
New Zealand	New Zealand Inventory of Chemicals (NZIoC)	Yes
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (KECI)	Yes
Philippines	Philippines Inventory of Chemicals and Chemical Substances (PICCS)	Yes

\*Yes - All components of this product comply with the inventory requirements administered by the governing country.

No - One or more components of this product are not on the inventory or are exempt from listing.

## 15.2 Chemical safety assessment

A chemical safety assessment was not carried out for this product.

## SECTION 16 - OTHER INFORMATION

### Hazardous Material Information System (HMIS)

HEALTH	2
FLAMMABILITY	0
PHYSICAL HAZARD	0
PERSONAL PROTECTION	C

C = safety glasses, gloves, & apron


### HMIS Hazard Rating Legend

0 = Minimal 1 = Slight 2 = Moderate  
3 = Serious 4 = Severe  
\* = Chronic Health Hazard

### NFPA Hazard Rating Legend

0 = Insignificant 1 = Slight 2 = Moderate  
3 = High 4 = Extreme

### National Fire Protection Association (NFPA)



### Full Text of GHS Hazard Phrases Referenced in Section 3 (not covered in Section 2)

H227 - Combustible liquid	H314 - Causes skin burns and serious eye damage	H401 - Toxic to aquatic life
H302 - Harmful if swallowed	H318 - Causes serious eye damage	H412 - Harmful to aquatic life with long lasting effects
H312 - Harmful in contact with skin	H332 - Harmful if inhaled	

### Abbreviation Key

<b>ACGIH</b>	American Conference of Governmental Industrial Hygienists	<b>LD<sub>50</sub></b>	Lowest Lethal Dose
<b>ADR</b>	Accord Dangereux Routier (European regulations concerning the international transport of dangerous goods by road)	<b>mppcf</b>	Millions of Particles Per Cubic Foot
<b>CAS</b>	Chemical Abstract Services	<b>NA</b>	North America
<b>CFR</b>	Code of Federal Regulations	<b>NAERG</b>	North American Emergency Response Guide Book
<b>COC</b>	Cleveland Open Cup	<b>NIOSH</b>	National Institute for Occupational Safety & Health
<b>DOT</b>	Department of Transportation	<b>NTP</b>	National Toxicology Program
<b>EC<sub>50</sub></b>	Half maximal effective concentration	<b>OSHA</b>	Occupational Safety and Health Administration
<b>EMS</b>	Emergency Response Procedures for Ships Carrying	<b>PBT</b>	Persistent, Bioaccumulating and Toxic
<b>EPA</b>	Environmental Protection Agency	<b>PEL</b>	Permissible exposure limit
<b>ErC<sub>50</sub></b>	Reduction of Growth Rate	<b>PMCC</b>	Pensky-Martens Closed Cup
<b>ERG</b>	Emergency Response Guide Book	<b>ppm</b>	Parts Per Million
<b>FDA</b>	Food and Drug Administration	<b>RCRA</b>	Resource Conservation and Recovery Act
<b>GHS</b>	Globally Harmonized System of Classification and Labelling of Chemicals (GHS)	<b>RID</b>	Dangerous Goods by Rail
<b>HCS</b>	Hazard Communication Standard	<b>RQ</b>	Reportable Quantity
<b>IARC</b>	International Agency for Research on Cancer	<b>TCC/Tag</b>	Tagliabue Closed Cup
<b>IATA</b>	International Air Transport Association	<b>TLV</b>	Threshold Limit Value
<b>IC<sub>50</sub></b>	Half Maximal Inhibitory Concentration	<b>TSCA</b>	Toxic Substance Control Act
<b>ICAO</b>	International Civil Aviation Organization	<b>TWA</b>	Time-weighted Average
<b>IDLH</b>	Immediately Dangerous to Life and Health	<b>UN</b>	United Nations
<b>IMDG</b>	International Maritime Dangerous Goods	<b>VOC</b>	Volatile Organic Compounds
<b>IMO</b>	International Maritime Organization	<b>vPvB</b>	Very Persistent and Very Bioaccumulating
<b>LC<sub>50</sub></b>	50% Lethal Concentration	<b>WHMIS</b>	Workplace Hazardous Materials Information System
<b>LD<sub>50</sub></b>	50% Lethal Dose		

**DISCLAIMER OF RESPONSIBILITY**

The information on this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, expressed or implied, regarding its correctness. Some information presented, and conclusions drawn herein are from sources other than direct test data on the substance itself. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume damage or expense arising out of or in any way responsibility and expressly disclaim liability for loss, connected with handling, storage, use, or disposal of this product. If the product is used as a component in another product, this SDS information may not be applicable.

Preparation date: 22 January 2024, Version 1

<end of document>